European Journal of Pharmacology – Molecular Pharmacology Section, 226 (1992) 383–385
© 1992 Elsevier Science Publishers B.V. All rights reserved 0922-4106/92/$05.00

Author index

Abdel-Latif, A.A., Yousufzai, S.Y.K., De, S. and Tachado, S.D.
Carbachol stimulates adenylate cyclase and phospholipase C and muscle contraction-relaxation in a reciprocal manner in dog iris sphincter smooth muscle (226) 351
Acuña Castroviejo, D., Del Aguila, C.M., Fernández, B., Gomar, M.D. and Castillo, J.L.
Characterization of ouabain high-affinity binding to rat cerebral cortex. Modulation by melatonin (226) 59
Aktories, K., see Koch, G. (226) 87
Aleppo, G., see Sortino, M.A. (226) 273
Allgaier, C., see Jackisch, R. (226) 245

Ball, S.G., see Hall, A.S. (226) 253
Balmforth, A.J., see Hall, A.S. (226) 253
Barker, J.L., see Cruciani, R.A. (226) 287
Bernad, N., see Galas, M.C. (226) 35
Boddeke, H.W.G.M., see Pombo-Villar, E. (226) 317
Boeynaems, J.-M., see Coquette, A. (226) 1
Bormann, J., see Müller, W.E.G. (226) 209
Brabec, V., see Vrána, O. (226) 5
Branch, R.A., see Sabra, R. (226) 79
Bryson, S.E., see Hall, A.S. (226) 253
Buckland, P.R., see O'Donovan, M.C. (226) 335
Budohoski, L., see Challiss, R.A.J. (226) 121

Canonico, P.L., see Sortino, M.A. (226) 273
Carbonell, L., see Mármol, F. (226) 93
Castillo, J.L., see Acuña Castroviejo, D. (226) 59
Challiss, R.A.J., Richards, S.J. and Budohoski, L.
Characterization of the adenosine receptor modulating insulin action in rat skeletal muscle (226) 121
Cheng, J., Roques, B.P., Gacel, G.A., Huang, E. and Pasternak, G.W.
κ_3 Opiate receptor binding in the mouse and rat (226) 15
Christ, D.D., see Reilly, T.M. (226) 179
Chun, M., see Sun, L. (226) 367
Coquette, A., Boeynaems, J.-M. and Vray, B.
Eicosanoids modulate CR1- and Fc-dependent bacterial phagocytosis (226) 1
Crill, W., see Greene, C. (226) 279
Cruciani, R.A., Barker, J.L., Durell, S.R., Raghunathan, G., Guy, H.R., Zasloff, M. and Stanley, E.F.
Magainin 2, a natural antibiotic from frog skin, forms ion channels in lipid bilayer membranes (226) 287
Cuffí, M.L., see Mármol, F. (226) 93

Dapper, J., see Müller, W.E.G. (226) 209
Darles, G., see Graham, D. (226) 373
Davies, M.F., see Maguire, P.A. (226) 233
Davis, J.M., see Pandey, G.N. (226) 303
De, S., see Abdel-Latif, A.A. (226) 351
Del Aguila, C.M., see Acuña Castroviejo, D. (226) 59
Dellweg, H., see Theis, J.G.W. (226) 149
DeLuca, A.W., see Valliere, J.E. (226) 191
De Weille, J.R., see Szewczyk, A. (226) 175
Drugan, R.C., see Holmes, P.V. (226) 189
Duncia, J.V., see Reilly, T.M. (226) 179
Durell, S.R., see Cruciani, R.A. (226) 287

Ericson, H. and Ross, S.B.
Subchronic treatment of rats with remoxipride fails to modify σ binding sites in the brain (226) 157
Errol, C., see Hall, A.S. (226) 253
Esbenshade, T.A., see Han, C. (226) 141

Fauq, A.H., see Reynolds, I.J. (226) 53
Fernández, B., see Acuña Castroviejo, D. (226) 59
Forn, J., see Mármol, F. (226) 93
Friedman, E., see Undie, A.S. (226) 297

Gacel, G.A., see Cheng, J. (226) 15
Galas, M.C., Bernad, N. and Martinez, J.
Pharmacological studies on CCK_B receptors in guinea pig synaptoneurosomes (226) 35
Gallager, D.W., see Primus, R.J. (226) 21
Gerlach, M., Riederer, P. and Youdim, M.B.H.
The molecular pharmacology of L-deprenyl (226) 97
Glenert, U.
Effects of chronic anethole trithione and amitriptyline treatment on rat parotid gland signalling (226) 43
Gomar, M.D., see Acuña Castroviejo, D. (226) 59
Graham, D., Darles, G. and Langer, S.Z.
The neuroprotective properties of ifenprodil, a novel NMDA receptor antagonist, in neuronal cell culture toxicity studies (226) 373
Greene, C., Schwindt, P. and Crill, W.
Metabotropic receptor mediated afterdepolarization in neocortical neurons (226) 279
Groß, R., see Theis, J.G.W. (226) 149
Guy, H.R., see Cruciani, R.A. (226) 287

Habermann, B., see Koch, G. (226) 87
Hall, A.S., Errol, C., Bryson, S.E., Ball, S.G. and Balmforth, A.J.
Thiol group identification at or near the agonist binding site of the vascular dopamine receptor (226) 253
Hammerland, L.G., Olivera, B.M. and Yoshikami, D.
Conantokin-G selectively inhibits N-methyl-D-aspartate-induced currents in *Xenopus* oocytes injected with mouse brain mRNA (226) 239
Han, C., Esbenshade, T.A. and Minneman, K.P.
Subtypes of α_1-adrenoceptors in DDT_1 MF-2 and BC3H-1 clonal cell lines (226) 141
Hartmann, M. and Schrader, J.
Protein kinase C phosphorylates a 15 kDa protein but not phospholamban in intact rat cardiac myocytes (226) 225
Hertting, G., see Jackisch, R. (226) 245
Hill, S.J., see Iredale, P.A. (226) 163
Holmes, P.V. and Drugan, R.C.
Angiotensin II rapidly modulates the renal peripheral benzodiazepine receptor (226) 189
Honscha, W., Ottallah, M., Schenk, A., Schuh, K. and Petzinger, E.
Separation and purification by two-dimensional gel electrophore-

sis of a 52–54 kDa bumetanide binding protein from rat liver plasma membranes (226) 215
Hsieh, S.-T., see Tsujino, T. (226) 69
Huang, E., see Cheng, J. (226) 15
Huang, H.Y., see Jackisch, R. (226) 245

IJzerman, A.P., see Van der Bent, A. (226) 327
Iredale, P.A., Martin, K.F., Hill, S.J. and Kendall, D.A.
Agonist-induced changes in $[Ca^{2+}]_i$ in N1E-115 cells: differential effects of bradykinin and carbachol (226) 163
Irie, K., see Muraki, T. (226) 311
Isaac, L., see Pandey, G.N. (226) 303

Jackisch, R., Huang, H.Y., Rensing, H., Lauth, D., Allgaier, C. and Hertting, G.
α_2-Adrenoceptor mediated inhibition of exocytotic noradrenaline release in the absence of extracellular Ca^{2+} (226) 245
Jauzac, P., see Polastron, J. (226) 133
Just, I., see Koch, G. (226) 87

Kendall, D.A., see Iredale, P.A. (226) 163
Kiseleva, V.I., see Vrána, O. (226) 5
Koch, G., Habermann, B., Mohr, C., Just, I. and Aktories, K.
ADP-ribosylation of rho proteins is inhibited by melittin, mast cell degranulating peptide and compound 48/80 (226) 87
Kondo, Y., see Tomura, H. (226) 363
Kowatch, M.A., see Villalobos-Molina, R. (226) 129
Kozikowski, A.P., see Reynolds, I.J. (226) 53
Kubota, Y., see Tsujino, T. (226) 69

Lang, D. and Lewis, M.J.
The effects of flosequinan on endothelin-1-induced changes in inositol 1,4,5-trisphosphate levels and protein kinase C activity in rat aorta (226) 259
Langer, S.Z., see Graham, D. (226) 373
Lauth, D., see Jackisch, R. (226) 245
Lazdunski, M., see Szewczyk, A. (226) 175
Lewis, M.J., see Lang, D. (226) 259
Liu, C., see Safrany, S.T. (226) 265
Loew, G.H., see Maguire, P.A. (226) 233
Lohse, M.J., see Ungerer, M. (226) 381

Maelicke, A., see Šoskić, V. (226) 109
Maguire, P.A., Villar, H.O., Davies, M.F. and Loew, G.H.
Thermodynamic analysis of binding to the cerebellar type I benzodiazepine receptor (226) 233
Mármol, F., Carbonell, L., Cuffí, M.L. and Forn, J.
Demonstration of inhibition of cyclic AMP accumulation in brain by very low concentrations of lithium in the presence of α-adrenoceptor blockade (226) 93
Martin, K.F., see Iredale, P.A. (226) 163
Martinez, J., see Galas, M.C. (226) 35
McGuffin, P., see O'Donovan, M.C. (226) 335
Mengod, G., see Pombo-Villar, E. (226) 317
Meunier, J.-C., see Polastron, J. (226) 133
Minneman, K.P., see Han, C. (226) 141
Miyajima, T., see Tsujino, T. (226) 69
Miyamoto, A., see Villalobos-Molina, R. (226) 129
Mohr, C., see Koch, G. (226) 87
Müller, W.E.G., Schröder, H.C., Ushijima, H., Dapper, J. and Bormann, J.
gp120 of HIV-1 induces apoptosis in rat cortical cell cultures: prevention by memantine (226) 209
Muraki, T., Irie, K., Uchida, Y. and Nomoto, T.
Developmental changes in the effect of atrial natriuretic peptide on tissue cyclic GMP content and particulate guanylate cyclase activity of aorta, kidney and lung of rats (226) 311

Nahorski, S.R., see Safrany, S.T. (226) 265
Nakajima, M., see Tsujino, T. (226) 69
Neuhaus, R. and Reber, B.F.X.
Inhibition of membrane currents and rises of intracellular Ca^{2+} in PC12 cells by CGS 9343B, a calmodulin inhibitor (226) 183
Newman, M.E.
Serotonin inhibits adenylate cyclase in human platelet membranes (226) 281
Nicholls, D.G., see Pocock, J.M. (226) 343
Nomoto, T., see Muraki, T. (226) 311

Obermaier-Skrobranek, B., see Ungerer, M. (226) 381
O'Donovan, M.C., Buckland, P.R., Spurlock, G. and McGuffin, P.
Bi-directional changes in the levels of messenger RNAs encoding γ-aminobutyric $acid_A$ receptor α subunits after flurazepam treatment (226) 335
Okajima, F., see Tomura, H. (226) 363
Okamoto, K., see Sakuta, H. (226) 199
Olivera, B.M., see Hammerland, L.G. (226) 239
Ottallah, M., see Honscha, W. (226) 215

Palacios, J.M., see Pombo-Villar, E. (226) 317
Pandey, G.N., Pandey, S.C., Isaac, L. and Davis, J.M.
Effect of electroconvulsive shock on 5-HT_2 and α_1-adrenoceptors and phosphoinositide signalling system in rat brain (226) 303
Pandey, S.C., see Pandey, G.N. (226) 303
Pasternak, G.W., see Cheng, J. (226) 15
Perzborn, E., see Theis, J.G.W. (226) 149
Pettinger, W.A., see Sun, L. (226) 367
Petzinger, E., see Honscha, W. (226) 215
Pierce, S.K., see Reilly, T.M. (226) 179
Pocock, J.M. and Nicholls, D.G.
A toxin (Aga-GI) from the venom of the spider *Agelenopsis aperta* inhibits the mammalian presynaptic Ca^{2+} channel coupled to glutamate exocytosis (226) 343
Polastron, J., Jauzac, P. and Meunier, J.-C.
The δ-opioid receptor in neuroblastoma × glioma NG 108-15 hybrid cells is strongly precoupled to a G-protein (226) 133
Pombo-Villar, E., Wiederhold, K.-H., Mengod, G., Palacios, J.M., Supavilai, P. and Boddeke, H.W.G.M.
Stereoisomerism and muscarinic receptor agonists: synthesis and effects of the stereoisomers of 3-[5-(3-amino-1,2,4-oxadiazol)yl]-1-azabicyclo[2.2.1]heptane (226) 317
Potter, B.V.L., see Safrany, S.T. (226) 265
Poverenny, A.M., see Vrána, O. (226) 5
Pranzatelli, M.R., see Trifiletti, R.R. (226) 377
Primus, R.J. and Gallager, D.W.
$GABA_A$ receptor subunit mRNA levels are differentially influenced by chronic FG 7142 and diazepam exposure (226) 21

Raghunathan, G., see Cruciani, R.A. (226) 287
Rajdev, S., see Reynolds, I.J. (226) 53
Reber, B.F.X., see Neuhaus, R. (226) 183
Reilly, T.M., Christ, D.D., Duncia, J.V., Pierce, S.K. and Timmermans, P.B.M.W.M.
Monoclonal antibodies to the nonpeptide angiotensin II receptor antagonist, losartan (226) 179
Rensing, H., see Jackisch, R. (226) 245
Reynolds, I.J., Rothermund, K., Rajdev, S., Fauq, A.H. and Kozikowski, A.P.
[^{125}I]Thienylphencyclidine, a novel ligand for the NMDA receptor (226) 53
Richards, S.J., see Challiss, R.A.J. (226) 121
Richelson, E., see Yamada, M. (226) 187
Riederer, P., see Gerlach, M. (226) 97
Roques, B.P., see Cheng, J. (226) 15
Ross, S.B., see Ericson, H. (226) 157

Roth, G.S., see Villalobos-Molina, R. (226) 129
Rothermund, K., see Reynolds, I.J. (226) 53

Saavedra, J.M., see Tsutsumi, K. (226) 169
Sabra, R. and Branch, R.A.
Effect of amphotericin B on intracellular calcium levels in cultured glomerular mesangial cells (226) 79
Safrany, S.T., Wilcox, R.A., Liu, C., Potter, B.V.L. and Nahorski, S.R.
3-Position modification of myo-inositol 1,4,5-trisphosphate: consequences for intracellular Ca^{2+} mobilisation and enzyme recognition (226) 265
Saito, K., see Tsujino, T. (226) 69
Saito, N., see Tsujino, T. (226) 69
Sakai, Y., see Sakuta, H. (226) 199
Sakuta, H., Sekiguchi, M., Okamoto, K. and Sakai, Y.
Inactivation of glibenclamide-sensitive K^+ channels in *Xenopus* oocytes by various calmodulin antagonists (226) 199
Sano, H., see Tsujino, T. (226) 69
Scapagnini, U., see Sortino, M.A. (226) 273
Schenk, A., see Honscha, W. (226) 215
Schrader, J., see Hartmann, M. (226) 225
Schröder, H.C., see Müller, W.E.G. (226) 209
Schuh, K., see Honscha, W. (226) 215
Schwindt, P., see Greene, C. (226) 279
Sekiguchi, M., see Sakuta, H. (226) 199
Shreeve, S.M. and Valliere, J.E.
The α_1-adrenoceptor is inactivated by alterations in membrane phospholipids (226) 29
Shreeve, S.M., see Valliere, J.E. (226) 191
Sortino, M.A., Aleppo, G., Scapagnini, U. and Canonico, P.L.
Ipriflavone inhibits phosphoinositide hydrolysis and Ca^{2+} uptake in the osteoblast-like UMR-106 cells (226) 273
Šoskić, V. and Maelicke, A.
Synthesis and characterization of biotinylated and photoactivatable neuroleptics. Novel bifunctional probes for dopamine receptors (226) 109
Soudijn, W., see Van der Bent, A. (226) 327
Spurlock, G., see O'Donovan, M.C. (226) 335
Stanley, E.F., see Cruciani, R.A. (226) 287
Sun, L., Umemura, S., Chun, M. and Pettinger, W.A.
Northern blot and ribonuclease protection study of α_2-adrenoceptor subtypes in cultured cell lines (226) 367
Supăvilai, P., see Pombo-Villar, E. (226) 317
Szewczyk, A., De Weille, J.R. and Lazdunski, M.
TMB-8 (8-(N,N-diethylamino)octyl-3,4,5-trimethoxybenzoate) inhibits the ATP-sensitive K^+ channel (226) 175

Tachado, S.D., see Abdel-Latif, A.A. (226) 351
Ter Laak, A.M., see Van der Bent, A. (226) 327
Theis, J.G.W., Dellweg, H., Perzborn, E. and Groß, R.
pH dependency of the binding of [^{3}H]BAY U 3405 and various non-labelled ligands to the thromboxane A_2/prostaglandin H_2 receptor of human platelet membranes (226) 149
Timmermans, P.B.M.W.M., see Reilly, T.M. (226) 179
Tomura, H., Okajima, F. and Kondo, Y.
Discrimination between two types of P_2 purinoceptors by suramin in rat hepatocytes (226) 363
Trifiletti, R.R. and Pranzatelli, M.R.
ACTH binds to [^{3}H]MK-801-labelled rat hippocampal NMDA receptors (226) 377
Tsujino, T., Sano, H., Kubota, Y., Hsieh, S.-T., Miyajima, T., Saito, K., Nakajima, M., Saito, N. and Yokoyama, M.
Expression of Fos-like immunoreactivity by yohimbine and clonidine in the rat brain (226) 69
Tsutsumi, K., Zorad, S. and Saavedra, J.M.
The AT_2 subtype of the angiotensin II receptors has differential sensitivity to dithiothreitol in specific brain nuclei of young rats (226) 169

Uchida, Y., see Muraki, T. (226) 311
Umemura, S., see Sun, L. (226) 367
Undie, A.S. and Friedman, E.
Selective dopaminergic mechanism of dopamine and SKF38393 stimulation of inositol phosphate formation in rat brain (226) 297
Ungerer, M., Obermaier-Skrobranek, B. and Lohse, M.J.
Adenosine A_1 receptor gene structure and regulation in normotensive and spontaneously hypertensive rats (226) 381
Ushijima, H., see Müller, W.E.G. (226) 209

Valliere, J.E., DeLuca, A.W. and Shreeve, S.M.
Reconstitution of α_1-adrenoceptors having high affinity for prazosin (226) 191
Valliere, J.E., see Shreeve, S.M. (226) 29
Van der Bent, A., Ter Laak, A.M., IJzerman, A.P. and Soudijn, W.
Molecular modelling of asperlicin derived cholecystokinin A receptor antagonists (226) 327
Villalobos-Molina, R., Miyamoto, A., Kowatch, M.A. and Roth, G.S.
α_1-Adrenoceptors in parotid cells: age does not alter the ratio of α_{1A} and α_{1B} subtypes (226) 129
Villar, H.O., see Maguire, P.A. (226) 233
Vrána, O., Kiseleva, V.I., Poverenny, A.M. and Brabec, V.
Conversion of DNA adducts of antitumour cis-diamminedichloroplatinum(II). Immunochemical analysis (226) 5
Vray, B., see Coquette, A. (226) 1

Wiederhold, K.-H., see Pombo-Villar, E. (226) 317
Wilcox, R.A., see Safrany, S.T. (226) 265

Yamada, M., Yamada, M. and Richelson, E.
Block of neurotensin receptor down-regulation by an aminosteroid in N1E-115 cells (226) 187
Yamada, M., see Yamada, M. (226) 187
Yokoyama, M., see Tsujino, T. (226) 69
Yoshikami, D., see Hammerland, L.G. (226) 239
Youdim, M.B.H., see Gerlach, M. (226) 97
Yousufzai, S.Y.K., see Abdel-Latif, A.A. (226) 351

Zasloff, M., see Cruciani, R.A. (226) 287
Zorad, S., see Tsutsumi, K. (226) 169